



CITY OF PARK RIDGE

505 BUTLER PLACE
PARK RIDGE, IL 60068
TEL: 847/ 318-5291
FAX: 847/ 318-6411
TDD:847/ 318-5252
URL:<http://www.parkridge.us>

DEPARTMENT OF COMMUNITY
PRESERVATION AND DEVELOPMENT
BUILDING SAFETY DIVISION

Water/Sewer Repair/Replacement Guidelines

All construction shall meet:
State of Illinois Plumbing Code
2014 National Electric Code
2015 International Residential Code

Submittal requirements:

- Submit complete Application
- J.U.L.I.E. (dig) Number on the back of the form.
- Provide documentation, in triplicate, in writing explaining the scope of the work and where.

Requirements:

- Trees , public or private, shall be protected within 10', unless approved by the City Forester.
- Nothing shall be placed within 10' of the tree, unless approved by the City Forester.
- Parkways must be restored.
- Street openings must be cut.
- Backfill street openings with CA6 or CA8 after inspection. Use CA6 or CA8 for sewer bedding.
- Water taps must be backfilled with at least 1' of sand.
- Contractor should provide High-Early concrete to match existing street depth leaving a 2" deep recession to receive hot, asphalt by City.
- All damaged curbs should be cut and replaced (with rebar dowels and expansion joints).
- Public Works Service Center (Water Department) must be contacted 24 hours in advance for scheduling water taps. Hardware will be provided by the City of Park Ridge. (Call Water Department at (847) 318-5245.

FOR INSPECTIONS CALL: 847-318-5291

**CONSTRUCTION DOCUMENT (S) SHALL BE AVAILABLE AT ALL
TIMES AT THE SITE.**

**ANY ALTERATIONS TO THE APPROVED PLANS MUST BE SUBMITTED IN
TRIPLICATE FOR REVIEW AND APPROVAL**